



DGNW8POE

8 PORT POE SWITCH

DETAILS

Model	: DGNW8POE
Ports	: 10 (8 POE+ 2 Uplink)
Function	: POE
Communication Mode	: Full-Duplex & Half-Duplex
Switch Capacity	: 2 Gbps.
Transmission Rate	: 10/100Mbps
PoE Budget	: 110Watts
PoE Power Output	: 15.4watts
Ethernet Standards	: IEEE 802.3af

SPECIFICATION

Connector	: 10x 10/100M copper cable RJ45 ports(all ports support MDI/MDIX) 8x PoE ports
Transfer Mode	: Store-And-Forward
Network Medium	: 10BASE-T: Cat3,4,5 UTP(≤100 meter) 100BASE-TX: Cat5 or more UTP (≤100 meter)
Data transmission distance	: 100m
Bandwidth	: 2Gbps (non-blocking)
Network Latency	: maximum delay less than 20 microseconds
Packet Buffer Memory	: 1.25MB
Forwarding Rate	: 1.49Mpps
Address Database Size	: 2K
MTBF	: 100,000 hours
LEDs System	: power supply
LEDs Every Port	: connecting, PoE working status
Power Maximum PoE power	: 130W
Max PoE power for each port	: 30W(1~4 port)
Power input	: AC: 100 to 240V 50-60Hz 2.3A



www.digiferg.com



admin@digiferg.com